

Docket No.: 29385/39667

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of: Kari Kirjavainen

Patent No.: 7,376,239

Issued: May 20, 2008

For: ELECTROMECHANICAL TRANSDUCER

AND METHOD FOR TRANSFORMING

ENERGIES

REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 CFR 1.322

Certificate

Attention: Certificate of Correction Branch

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

AUG 2 0 200.

of Correction

The patentee requests that this error in the patent be corrected:

In the patent	Correct information	Error	
Field (74) on the cover page	Per block 2 of the issue fee transmittal, it	PTO	
reads:	should read "Marshall, Gerstein & Borun		′
"Marshall, Gerstein Borun LLP"	LLP"		

The error was not in the papers filed by the applicant. Accordingly, no fee is required. To correct the errors, please issue the accompanying certificate of correction.

August 12, 2008

Respectfully submitted,

Richard M. LaBarge

Registration No.: 32,254

MARSHALL, GERSTEIN & BORUN LLP

233 S. Wacker Drive, Suite 6300

Sears Tower

Chicago, Illinois 60606-6357

(312) 474-6300

Attorney for Applicant

AUG 2 0 2008

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page	1	of	1	
------	---	----	---	--

PATENT NO.

7,376,239

APPLICATION NO.

10/682,043

ISSUE DATE

May 20, 2008

INVENTOR(S)

Kari Kirjavainen

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Cover Page:

Chicago, Illinois 60606-6357

At field (74), "Gerstein Borun" should be -- Gerstein & Borun --.

MAILING ADDRESS OF SENDER (Please do not use customer number below):
Richard M. LaBarge
MARSHALL, GERSTEIN & BORUN LLP

1
233 S. Wacker Drive, Suite 6300
Sears Tower

